



# 05000ESP-L Motor Oil 0W-30 Premium Synthetic ESP-L

Document version: 27 Apr 2024



## Description

This Premium Synthetic ESP-L SAE 0W-30 Longlife III motor oil contains high-quality base oils. ESP-L is formulated to meet the strict VAG Long Life III specifications (VW 504.00 & 507.00).

This mid SAPS engine oil meets the Euro 4, Euro 5 and Euro 6 standards and has a protecting effect on the particulate filter. This product provides demonstrable fuel savings over a 5W-30 viscosity and is suitable for vehicles with extended service intervals.

## Application manual

## According to the specifications of

ACEA C2 / C3  
API SN  
BMW LL-04  
Fiat 9.55535-DS1 / 9.55535-GS1  
MB-Approval 229.51  
Porsche C30  
VW 504.00 / 507.00

## Packaging units

| ART. NR.    | VOLUME | ITEMS PER UNIT | ITEMS PER PALLET |
|-------------|--------|----------------|------------------|
| 05001ESP-L  | 1 L    | 6              | 450              |
| 05005ESP-L  | 5 L    | 4              | 112              |
| 05020ESP-L  | 20 L   | 1              | 30               |
| 05060ESP-L  | 60 L   | 1              | 6                |
| 05205ESP-L  | 205 L  | 1              | 2                |
| 05999ESP-L  | 1000 L | 1              | -                |
| P05000ESP-L | 1 L    | 1              | -                |

## Standard analyses

| TEST                         | VALUE |                    | METHOD        |
|------------------------------|-------|--------------------|---------------|
| Density at 15°C              | 0.842 | kg/l               | ASTM<br>D4052 |
| Colour                       | Brown |                    | Visual        |
| Kinematic Viscosity at 40°C  | 59    | mm <sup>2</sup> /s | ASTM D445     |
| Kinematic Viscosity at 100°C | 11.7  | mm <sup>2</sup> /s | ASTM D445     |
| Viscosity Index              | 197   |                    | ASTM<br>D2270 |
| Pourpoint                    | -48   | °C                 | ASTM<br>D6892 |
| Total Base Number            | 8.3   | mgKOH/g            | ASTM<br>D2896 |

These characteristics are typical of current production. Variations in these characteristics may occur.