



# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 19-1-2012 Revision date: 27-11-2020 Supersedes: 26-10-2020 version: 1.5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

Product code : 57000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use

Use of the substance/mixture : Automotive care products

Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

MPM International Oil Company  
Cyclotronweg 1  
2629 HN Delft Delft - Nederland  
T +31 (0)15 2514030 - F +31 (0)15 2514031  
[msds@mpmoil.nl](mailto:msds@mpmoil.nl) - [www.mpmoil.nl](http://www.mpmoil.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

| Country        | Official advisory body                                                                           | Address                                     | Emergency number | Comment |
|----------------|--------------------------------------------------------------------------------------------------|---------------------------------------------|------------------|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                         | Beaumont Hospital Beaumont Road<br>9 Dublin | : +353 1 8379964 |         |
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit,<br>Guy's & St Thomas' Hospital Trust | Avonley Road<br>SE14 5ER London             | +44 20 7188 7188 |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w / w) DMSO extract, according to IP346

| Name                     | Product identifier                                                                                       | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------|----------------------------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------|
| Base oil - not specified | (CAS-No.) 64742-54-7<br>(EC-No.) 265-157-1<br>(EC Index-No.) 649-467-00-8<br>(REACH-no) 01-2119484627-25 | 10 – 20 | Asp. Tox. 1, H304                                               |

# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                                                      |                                                                                                        |            |                                                                    |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------|
| bis(nonylphenyl)amine                                                | (CAS-No.) 36878-20-3<br>(EC-No.) 253-249-4<br>(REACH-no) 01-2119488911-28                              | 1 – 2,4    | Aquatic Chronic 4, H413                                            |
| Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | (CAS-No.) 93819-94-4<br>(EC-No.) 298-577-9<br>(EC Index-No.) 272-028-3<br>(REACH-no) 01-21419543726-33 | 0,1 – 0,99 | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 2, H411 |

### Specific concentration limits:

| Name                                                                 | Product identifier                                                                                     | Specific concentration limits                                                                                   |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | (CAS-No.) 93819-94-4<br>(EC-No.) 298-577-9<br>(EC Index-No.) 272-028-3<br>(REACH-no) 01-21419543726-33 | ( 6,25 ≤C < 100) Skin Irrit. 2, H315<br>( 10 ≤C < 12,5) Eye Irrit. 2, H319<br>( 12,5 ≤C < 100) Eye Dam. 1, H318 |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                    |                                                                                                                                       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| After inhalation   | : Not required.                                                                                                                       |
| After skin contact | : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.                 |
| After eye contact  | : In case of eye contact, immediately rinse with clean water for 10-15 minutes.                                                       |
| After ingestion    | : If swallowed, seek medical advice immediately and show this container or label. Rinse mouth out with water. Do not induce vomiting. |

### 4.2. Most important symptoms and effects, both acute and delayed

|                    |                                                                                                        |
|--------------------|--------------------------------------------------------------------------------------------------------|
| After inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| After skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| After eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| After ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |                                                   |
|--------------------------------|---------------------------------------------------|
| Suitable extinguishing media   | : water spray, powder, foam and CO <sub>2</sub> . |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                |

### 5.2. Special hazards arising from the substance or mixture

|             |                                        |
|-------------|----------------------------------------|
| Fire hazard | : No additional information available. |
|-------------|----------------------------------------|

### 5.3. Advice for firefighters

|                                |                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.                                             |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.                                        |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|-------------------------------------------------|

#### 6.1.2. For emergency responders

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|-------------------------------------------------|

### 6.2. Environmental precautions

Notify authorities if product enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                                      |
|-------------------------|------------------------------------------------------------------------------------------------------|
| For containment         | : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
| Methods for cleaning up | : Alkaline cleaner. Sand or other absorbent.                                                         |
| Other information       | : Spill area may be slippery.                                                                        |

### 6.4. Reference to other sections

No additional information available

# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
- Handling temperature : < 40 °C
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage temperature : < 40 °C
- Storage area : Keep out of reach of children. Store in a closed container. Keep in a cool, well-ventilated place. Store in a dry place.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Base oil - not specified (64742-54-7)

|         |                                         |                             |
|---------|-----------------------------------------|-----------------------------|
| EU      | IOELV TWA (mg/m <sup>3</sup> )          | 5 mg/m <sup>3</sup> 8 h/day |
| Germany | TRGS 910 Acceptable concentration notes |                             |

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m<sup>3</sup> oilspray (TWA, 8 hour workday) is recommended.

#### 8.2. Exposure controls

##### Technical measures:

Provide local exhaust or general room ventilation. Ensure that there is a suitable ventilation system.

##### Personal protective equipment:

Safety glasses. Gloves.

##### Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

##### Hand protection:

Wear suitable gloves

| Type | Material             | Permeation        | Thickness (mm) | Penetration | Standard |
|------|----------------------|-------------------|----------------|-------------|----------|
|      | Nitrile rubber (NBR) | 6 (> 480 minutes) | >0.35          |             |          |

##### Eye protection:

Safety goggles

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

##### Personal protective equipment symbol(s):



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Oily.
- Colour : red.
- Odour : characteristic.
- Odour threshold : No data available
- pH : No data available
- Relative evaporation rate (butylacetate=1) : No data available

# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                  |                                                               |
|----------------------------------|---------------------------------------------------------------|
| Melting point                    | : No data available                                           |
| Freezing point                   | : No data available                                           |
| Boiling point                    | : No data available                                           |
| Flash point                      | : > 200 °C ASTM D 92                                          |
| Auto-ignition temperature        | : No data available.                                          |
| Decomposition temperature        | : No data available                                           |
| Flammability (solid, gas)        | : No data available                                           |
| Vapour pressure                  | : No data available                                           |
| Relative vapour density at 20 °C | : No data available                                           |
| Relative density                 | : No data available                                           |
| Density                          | : 855 g/l                                                     |
| Solubility                       | : Slightly soluble, the product remains on the water surface. |
| Log Pow                          | : No data available                                           |
| Viscosity, kinematic             | : 85 mm <sup>2</sup> /s @ 100°C                               |
| Viscosity, dynamic               | : No data available                                           |
| Explosive properties             | : No data available                                           |
| Oxidising properties             | : No data available                                           |
| Explosive limits                 | : No data available                                           |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

None under normal conditions.

### 10.5. Incompatible materials

Oxidizing agent. acids and bases.

### 10.6. Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, nitrogen oxides (NO<sub>x</sub>), sulphur compounds.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Base oil - not specified (64742-54-7)

|                       |              |
|-----------------------|--------------|
| LD50 oral rat         | > 5000 mg/kg |
| LD50 dermal rat       | > 2000 mg/kg |
| LD50 dermal rabbit    | > 3000 mg/kg |
| LC50 Inhalation - Rat | > 5 mg/l/4h  |

#### bis(nonylphenyl)amine (36878-20-3)

|                 |                       |
|-----------------|-----------------------|
| LD50 oral rat   | > 5000 mg/kg OECD 401 |
| LD50 dermal rat | > 2000 mg/kg OECD 402 |

#### Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)

|                       |                                         |
|-----------------------|-----------------------------------------|
| LD50 oral rat         | 2600 mg/kg                              |
| LD50 dermal rat       | > 3160 mg/kg OECD 402                   |
| LD50 dermal rabbit    | > 3160 mg/kg bodyweight OECD 402        |
| LC50 Inhalation - Rat | > 2 mg/l > 2 ml 1h OECD 403 read across |

# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                   |                  |
|-----------------------------------|------------------|
| Skin corrosion/irritation         | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |
| Reproductive toxicity             | : Not classified |
| STOT-single exposure              | : Not classified |

### Base oil - not specified (64742-54-7)

|                            |                         |
|----------------------------|-------------------------|
| NOAEL (dermal, rat/rabbit) | > 2000 mg/kg bodyweight |
|----------------------------|-------------------------|

|                        |                  |
|------------------------|------------------|
| STOT-repeated exposure | : Not classified |
|------------------------|------------------|

### Base oil - not specified (64742-54-7)

|                                                |                               |
|------------------------------------------------|-------------------------------|
| LOAEL (oral, rat, 90 days)                     | 125 mg/kg bodyweight OECD 408 |
| NOAEL (dermal, rat/rabbit, 90 days)            | > 1000 mg/kg bodyweight/day   |
| NOAEL (subacute, oral, animal/male, 28 days)   | > 220 mg/kg bodyweight        |
| NOAEL (subchronic, oral, animal/male, 90 days) | > 980 mg/kg bodyweight        |

### Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)

|                                     |                                |
|-------------------------------------|--------------------------------|
| LOAEL (dermal, rat/rabbit, 90 days) | ≈ 70 mg/kg bodyweight OECD 410 |
| NOAEL (oral, rat, 90 days)          | 160 mg/kg bodyweight OECD 422  |

|                   |                  |
|-------------------|------------------|
| Aspiration hazard | : Not classified |
|-------------------|------------------|

### 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

|                      |                               |
|----------------------|-------------------------------|
| Viscosity, kinematic | 85 mm <sup>2</sup> /s @ 100°C |
|----------------------|-------------------------------|

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                          |                  |
|----------------------------------------------------------|------------------|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
|----------------------------------------------------------|------------------|

|                                                           |                  |
|-----------------------------------------------------------|------------------|
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |
|-----------------------------------------------------------|------------------|

### Base oil - not specified (64742-54-7)

|                    |                                        |
|--------------------|----------------------------------------|
| LC50 fish 1        | > 100 mg/l @Pimephales promelas        |
| EC50 Daphnia 1     | > 10000 mg/l                           |
| EC50 Daphnia 2     | > 10 mg/l @21D                         |
| EC50 72h algae (1) | > 100 mg/l @Scenedesmus quadricauda 3D |
| NOEC chronic fish  | > 10 mg/l @21 D                        |

### bis(nonylphenyl)amine (36878-20-3)

|                    |                                          |
|--------------------|------------------------------------------|
| LC50 fish 1        | > 100 mg/l OECD 203 (Danio rerio @ 96h)  |
| EC50 Daphnia 1     | > 100 mg/l OECD 202 Daphnia magna        |
| EC50 72h algae (1) | > 100 mg/l Desmodesmus subspicatus       |
| EC50 72h algae (2) | > 100 mg/l Desmodesmus subspicatus       |
| EC50 96h algae (1) | 870 mg/l Pseudokirchneriella subcapitata |

### Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| LC50 fish 1                    | 4,5 ml/l OECD 203 (Oncorhynchus mykiss) 96h      |
| LC50 other aquatic organisms 1 | 2,1 ppm OECD 201 (Selenastrum capricornutum) 48h |
| EC50 Daphnia 1                 | 5,4 ml/l OECD 202 (Daphnia magna) 48h            |

# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                    |                                              |
|--------------------|----------------------------------------------|
| EC50 72h algae (1) | 2,1 mg/l Selenastrum capricornutum UTEX 1648 |
| EC50 72h algae (2) | 2 mg/l Selenastrum capricornutum UTEX 1648   |
| EC50 96h algae (1) | 2,1 mg/l Selenastrum capricornutum UTEX 1648 |
| EC50 96h algae (2) | 2 mg/l Selenastrum capricornutum UTEX 1648   |

### 12.2. Persistence and degradability

#### 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

|                               |                                                        |
|-------------------------------|--------------------------------------------------------|
| Persistence and degradability | Not soluble in water, so only minimally biodegradable. |
|-------------------------------|--------------------------------------------------------|

#### Base oil - not specified (64742-54-7)

|                |                          |
|----------------|--------------------------|
| Biodegradation | 31 % @28D -OECD TG 301 B |
|----------------|--------------------------|

#### bis(nonylphenyl)amine (36878-20-3)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

|                |          |
|----------------|----------|
| Biodegradation | 1 % @28d |
|----------------|----------|

#### Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)

|                |                     |
|----------------|---------------------|
| Biodegradation | 1,5 % OECD 301B 28d |
|----------------|---------------------|

### 12.3. Bioaccumulative potential

#### bis(nonylphenyl)amine (36878-20-3)

|         |       |
|---------|-------|
| Log Pow | > 7,6 |
|---------|-------|

|                           |                            |
|---------------------------|----------------------------|
| Bioaccumulative potential | Bioaccumulative potential. |
|---------------------------|----------------------------|

#### Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)

|         |          |
|---------|----------|
| Log Pow | 0,9 @23C |
|---------|----------|

### 12.4. Mobility in soil

#### bis(nonylphenyl)amine (36878-20-3)

|      |                        |
|------|------------------------|
| Soil | Adsorbs into the soil. |
|------|------------------------|

#### Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)

|      |                        |
|------|------------------------|
| Soil | Adsorbs into the soil. |
|------|------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                     | IMDG           |
|-----------------------------------------|----------------|
| <b>14.1. UN number</b>                  |                |
| Not applicable                          | Not applicable |
| <b>14.2. UN proper shipping name</b>    |                |
| Not applicable                          | Not applicable |
| <b>14.3. Transport hazard class(es)</b> |                |
| Not applicable                          | Not applicable |

# 4-Stroke Motorcycle Oil 5W-40 Prem.Synth.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.4. Packing group

Not applicable

Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Dangerous for the environment : No  
Marine pollutant : No

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

|                   |                                                                   |
|-------------------|-------------------------------------------------------------------|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Asp. Tox. 1       | Aspiration hazard, Category 1                                     |
| Eye Dam. 1        | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2      | Serious eye damage/eye irritation, Category 2                     |
| Skin Irrit. 2     | Skin corrosion/irritation, Category 2                             |
| H304              | May be fatal if swallowed and enters airways.                     |
| H315              | Causes skin irritation.                                           |
| H318              | Causes serious eye damage.                                        |
| H319              | Causes serious eye irritation.                                    |
| H411              | Toxic to aquatic life with long lasting effects.                  |
| H413              | May cause long lasting harmful effects to aquatic life.           |
| EUH210            | Safety data sheet available on request.                           |

SDS MPM REACH

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*